


# **Unparalleled Adaptability**

A versatile series of compact HID replacement bulbs with an integrated SelectDrive switch for complete field flexibility.



### **Thermal management**

An embedded thermal sensor reduces power if the lamp's ambient temperature exceeds the threshold level, extending the product's lifetime.



## SelectDrive lumen output

When installing lighting systems in the field, designers often find the light levels just don't suffice. Default "on" settings can be too bright or not bright enough, or the designer may want lamps on the same circuit to emit different amounts of light.

Enter SelectDrive, an integrated lumen-adjustment switch that allows lighting professionals to alter the light output right for the application. The compact HID replacement series' SelectDrive feature, adds flexibility and simplicity to your lighting design.



24W - 3,200 lumens @4000K Medium Lumen Output 20W - 3,000 lumens @4000K 14W - 1,900 lumens @4000K

High Lumen Output 34W - 5,000 lumens @4000K

Low Lumen Output 14W - 2,000 lumens @4000K 9W - 1,300 lumens @4000K

Select Drive



#### **Compact design**

All lamps in this series encompass a compact design, ideal for easy installation in bollards, canisters, and enclosed streetlights.





#### **Versatile options**

Light output ranges from 2000 to 5000 lumens, offering more choices of brightness than comparable HID replacement series.



100-175W HID Replacement



EX39 4,500-5,000 Lumens

4,500-5,000 Lumens 300W Inc. Replacement

E26

icement 70-10











EX39 3,100-3,200 Lumens 70-100W HID Replacement





3,100-3,200 Lumens 200W Inc. Replacement





2,000-2,100 Lumens 125W Inc. Replacement











## Your Partner for Professional Lighting Solutions